

[Google](#)

adding a constant to the denominator and num

[Search](#)

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 1,380,000 for [adding a constant to the denominator](#) and [numerator](#) of a [ratio changes the ratio](#). (0.43 seconds)

[JSTOR: The Impropriety of Benefits-Premiums Ratios in Life ...](#)

If a constant, c, is added to both the numerator and denominator of this ...  
(numerator of the ratio) for every c change in net premiums (denominator of the ...  
[links.jstor.org/sici?sici=0022-4367\(197406\)41%3A2%3C356%3ATICOBRI%3E2.0.CO%3B2-Q](#) -  
[Similar pages](#)

[Ratio-to-digital converter \(RDC\) for the correction of the effect ...](#)

[3] developed a complete Ratio-to-Digital Converter (RDC) by adding Time-to-Digital Converter .... denominator and numerator inputs. The fluctuations ...  
[ieeexplore.ieee.org/iel2/1042/7439/00301255.pdf](#) - [Similar pages](#)

[Ratio-to-digital converter \(RDC\) for the correction of the effect ...](#)

value of denominator and numerator inputs. The deviations .... K. Komatsu,  
"Realization of the Concept of the Ratio-to-. Digital Converter (RDC)," Nucl. ...  
[ieeexplore.ieee.org/iel1/23/5500/00256664.pdf](#) - [Similar pages](#)

[A-C signal multiplying circuit by a ratio of whole numbers the ...](#)

A-C signal multiplying circuit by a ratio of whole numbers the numerator of which is  
greater than one and greater than the denominator ...  
[www.freepatentsonline.com/3935539.html](#) - 39k - [Cached](#) - [Similar pages](#)

[CONTROL SYSTEMS ENGINEERING](#)

Using the same value for K2 = 120752, but for light-weight descent conditions with  
K1=0.2, the results show change in damping ratio from 0.707 to 0.7902. ...  
[140.78.137.200/itac50/Project\\_F/RLOC\\_P2/content21.html](#) - 36k -  
[Cached](#) - [Similar pages](#)

[Technological Forecasting and Social Change : A multi-factor ...](#)

However, if either the denominator or numerator of the ratio is forced to be unity, ...  
to adding a constant positive number to the inputs or outputs [38]. ...  
[linkinghub.elsevier.com/retrieve/pii/S0040162505001861](#) - [Similar pages](#)

[;+ ;: PROJECT: CHIANTI ;: CHIANTI is an Atomic Database Package ...](#)

for the numerator of the ratio, and a ; number of lines for the denominator. In case of  
multiple selections, the ; line intensities are summed. ...  
[www.chianti.nf.ac.uk/v5.2/idi/temperature\\_ratios.pro](#) - 17k - [Cached](#) - [Similar pages](#)

[Untitled Document](#)

Clip limits: nil for numerator, 100 for denominator seem to work. 100 is 0.1% of. the  
Cdt-Mg24 image. 4) Correct the ratio image for mass bias. ...  
[www.nist.gov/lispix/doc/TOOLS/SIMS-iratio-buttons-txt.htm](#) - 14k -  
[Cached](#) - [Similar pages](#)

[Ratio Populations](#)

Thus the general formula for ratio densities is. where h is the numerator density and g  
is the denominator density. Interestingly, it turns out that if h ...  
[www.mathpages.com/home/kmath042/kmath042.htm](#) - 42k - [Cached](#) - [Similar pages](#)

[Evaluation of growth hormone assays using ratio plots -- Andersen ...](#)

The vertical lines for CVnumerator = CVdenominator = 0.10 and 0.15 are shown, ....  
ratio was constant throughout the measured concentration range. ...  
[www.clinchem.org/cgi/content/full/44/5/1032](#) - [Similar pages](#)

adding a constant to the denominator

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

---

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)